



A RICE LAKE WEIGHING SYSTEMS COMPANY

GPE ATHENA

GPE ATHENA SERIES SCALES WITH COLUMN FOR SHOPS



Perfect scales for in-store use and battery operation. Impact-protected loading platform and integrated display, keyboard and printer on an extremely robust column.

Scales and solutions for retail



FEATURES

- Dual display (operator and customer side) white backlit LCD, alphanumeric.
- Waterproof keyboard consisting of 62 membrane keys PLU/functions
- 80mm/sec thermal printer, suitable for normal thermal paper with 57mm width and max. 50mm outer diameter.
- Print width up to 48mm.
- Easyloading system for easy paper loading. Logo print function.
- ABS body, dimensions 370x370x520mm (l x w x h).
- Plate 370x310mm (l x w) in stainless steel.
- 230Vac power supply with internal rechargeable, long-life battery.

FUNCTIONS

- Database 3000 PLUs, 60 direct recall.
- 50 PLU groups.
- 600 ingredient lists.
- 9 VAT rates.
- 10 advertising messages.
- Queue eliminator.
- 8 forms of payment.
- 2 short- and long-term grand totals.
- 20 operators, 8 of which are direct.
- 3 programmable password levels.
- PLU priority working mode, single item, multi-operator receipt.
- Tare: weighed, operator, PLU, pre-stored, settable.
- Logo print, EAN13 and EAN8 barcodes, dynamic QR codes.
- Re-opening last operator receipt, reversals and discounts, till and customer management.

I/O SECTIONS

- 1 RS232 interface for connection to PC, scanner, Helmac cash register.
- RS485 interface for connection of up to 4 scales in local network.
- 1 USB interface for connection to PC, scanner and keyboard.


INFORMATION

- Available upon request



- Approval:

DETAIL 1



YOUR
WORLDWIDE
PARTNER
FOR RETAIL
SOLUTIONS



www.helmac.com



HEAD OFFICE

Via della Fisica, 18
41042 Spezzano di Fiorano (MO) • Italy
Tel.: +39 0536 070960

WAREHOUSE

Via della Fisica, 15
41042 Spezzano di Fiorano (MO) • Italy

SALES AND TECHNICAL ASSISTANCE SERVICE

All the specifications and images can be subject to variations and upgrades without prior notice.